



Spare Parts for Ice Machines



Spare parts suitable for

ELECTROLUX

2018

Find the complete and up-to-date range of products in our GEV Webshop



thermostats

bi-metal thermostats

safety bi-metal thermostats



GEV No.	390590	Ref. No.	085286 0KK203
description	bi-metal safety thermostat hole distance 24mm switch-off temp.°C 1NC 1-poleAV connection plug 2 hole fixing		
For models:	IMF28A, IMF28W, IMF35A, IMF35W, IMF58A, IMF58W, IMF80A, IMF80W, FGC33AS42, FGC46AS42, MF250WB20, FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC90A, FGC90W, FGC143AB, FGC143WB, FGS94AB, FGS94WB, FGS140A, FGC25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM235WB, FIM150ASB, FIM150WSB, FIM285ASB, FIM285WSB, CIM50AB, FIM50WB, FGC24ABS, FGC24WBAB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, FGC143AB, FGC143WB, CB184A, CB249A, CB316A...(Other models you can see in the webshop)		

refrigeration thermostats

RANCO

K22 series

RANCO



GEV No.	390524	Ref. No.	023591 085284 087969 23004
description	thermostat RANCO type K22L1082 probe ømm probe Lmm capillary pipe 2000mm temperature range -22 up to -3°C		
For models:	FGC33AS42, FGC46AS42, FGC65A42, FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC143AB, FGC143WB, FGC25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM50WB, FGC24ABS, FGC24WBAB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, FGC143AB, FGC143WB, CB184A, CB249A, CB316A, CB425A, CB840A, FGC24AB, FGC24WB, FGC29AB, FGC67AB, FGC67WB, FGC143AB, FGC143WB, CIM38AB, CIM38WB, CIM85AB, CIM15WB...(Other models you can see in the webshop)		

RANCO



GEV No.	390589	Ref. No.	087804 092561 23597
description	thermostat RANCO type K22L1083 probe ø 2mm probe Lmm capillary pipe 2300mm		
For models:	CIM235AB, CIM235WB, VM500W+BI, VM500A+BI, VB250A, VB250W, VM900A, VM900W		

RANCO



GEV No.	390209	Ref. No.	086033 0H9305 0K7414
description	thermostat RANCO type K22L1020 probe ø 9mm probe L 40mm capillary pipe 2000mm temperature range -20.5 up to -1.5°C		

RANCO



GEV No.	390279	Ref. No.	34444194
description	thermostat RANCO type K22L3022 probe ø 9mm probe L 35mm capillary pipe 1600mm		

K50 series

RANCO



GEV No.	390208	Ref. No.	086026
description	thermostat RANCO type K50L3006 probe ømm probe Lmm capillary pipe 2000mm temperature range +1.5 up to +4°C		

RANCO



GEV No.	390288	Ref. No.	085314 091526 0KV418
description	thermostat RANCO type K50L3163 probe ømm probe Lmm capillary pipe 2100mm temperature range -24 up to -14°C		
For models:	MF250WB20, FGS500A, FGS500W, FGS94AB, FGS94WB, FIM150ASB, FIM150WSB, FIM285ASB, FIM285WSB, VM250A+BI, VM250W+BI		

			
GEV No.	390588	Ref. No.	089078
description	thermostat RANCO type K50L3274 probe ø 2mm probe Lmm capillary pipe 3000mm		
For models:	MF250WB20, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, DSS42A, G500A, MUSTER350A, MUSTER800A, GB1555W, GB1555A, G500W		

			
GEV No.	390286	Ref. No.	085283
description	thermostat RANCO type K50L3383 probe ømm probe Lmm capillary pipe 1500mm temperature range +1 up to +3°C		
For models:	IMF28A, IMF28W, IMF35A, IMF35W, IMF58A, IMF58W, IMF80A, IMF80W, FGC33AS42, FGC46AS42, FGC65A42, MC140AB20, MC140WB20, MC200AB20, MC200WB20, FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC143AB, FGC143WB, FGS94AB, FGS94WB, FGC-F25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, FIM150ASB, FIM150WSB, CIM50AB, FIM50WB, FGC24ABS, FGC24WBAB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, FGC143AB, FGC143WB, CB184A...(Other models you can see in the webshop)		

K61 series

			
GEV No.	390586	Ref. No.	086288
description	thermostat RANCO type K61L1504 probe ø 2mm probe Lmm capillary pipe 1800mm T war 11.5°C T cold 22°C		

switches and momentary switches

rocker/momentary rocker switches

30x22mm

labelled



GEV No.	300125	Ref. No.	053810 056702 056703 081680 085609 0HA083 0K8650 0KM979 0PE186 20528 23327 9020528
description	rocker switch mounting measurements 30x22mm green 2NO 230V 16A 0-I connection male faston 6.3mm ambient temperature max. 125/55°C protection IP65 with cover cap		
For models:	WMGHUK, WMMHPLUK, MTC1200P, MTC1400P, MTC1600P, MTC1800P, MTC2000P, MTC1210P, MTC1410P, MTC1610P, MTC1810P, MTC2010P, MTCD1200P, MTCD1400P, MTCD1600P, MTCD1800P, MTCD2000P, MSR1207, MSR1407, MSR1607, MSR1807, MSR2007, MSR1217, MSR1417, MSR1617, MSR1817, MSR2017, MSRP1207, MSRP1407, MSRP1607, MSRP1807, MSRP2007, LPS/75, 7CPE07P, 7CPG07P, M70EPC, M70GPC, CCP/E700, FCFG10, FCFG10D, FCFG10NL, FCFE10, FCFE10UK, FCFG20, FCFG20D, FCFG20F, PFCFG20, FCFE20, FCFE20UK, FCFE20-V...(Other models you can see in the webshop)		
accessories for	300125		
	GEV No.	301036	Ref. No. 002150
protective cover internal size 30x22mm for rocker switch mounting measurementsmm			

push/momentary push switches

19x13mm



GEV No.	346871 ¹	Ref. No.	N/A
description	push switch mounting measurements 19x13mm green 2NO 250V 16A illuminated connection male faston 4.8mm ambient temperature max. 105/55°C protection IP40		
accessories for	346871		
	GEV No.	346541	Ref. No. —
protective cover for rocker switch external size 23.4x17.4mm internal size 19x13mm H 9.5mm mounting measurementsmm			

¹illuminated



1

GEV No.	347079 ¹	Ref. No.	N/A
description	push switch mounting measurements 19x13mm green 2NO 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125°C protection IP65 with cover cap		

¹illuminated

2 hole fixing



1

GEV No.	346879	Ref. No.	OKK220
description	push switch green 2NO/indicator light 250V 16A illuminated connection male faston 6.3mm ambient temperature max. 125/55°C protection IP40		

microswitches

pin-plunger actuated



1

GEV No.	345105	Ref. No.	OKI505
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black		
For models:	MF250WB20		

touch sensitive light switches



1

GEV No.	402043	Ref. No.	086451 OKM709
description	light barrier L 180mm W 35mm H 46mm		



1


GEV No.	402009	Ref. No.	086475 OT4520
description	light barrier L 310mm W 35mm H 47mm		

magnetic switches

36x13mm



1



GEV No.	345118 ¹	Ref. No.	083881
description	magnetic switch L 36mm W 13mm 1NO 250V 1A P max. 50W connection cable length 980mm		
For models:	BC22, BCF22, BCF44H, BC11, BC22, BCF11, BCF22, BCF44H, BC11, BC22, BC44, BC44H, BCF11, BCF22, BCF44H, BCF44, BC7, BCF7, BC7, BCF7, ESBC20, ESBC20R, ESBF20, RI16R1FR, ESK40H, ESF40H, RI016RE1F, RI16R1F, RI16R2FT, RI16R2FGT, WE751F, WZ751, WE751G, WE751, WDE752, WDE752, RI075R1F, RI075R1FR, RI075R1G, RI075R2F-GT, WZ751, TC10, TC651DX, 1DR.TC, 1DR.TC, TC651DEX, 1DR.TC, TC651DEX2, EEVA10/1, EEVA201...(Other models you can see in the webshop)		
accessories for	345118		
	GEV No.	345399	Ref. No.
	magnet Ø 3.3mm L 40mm H 8mm W 13mm hole distance 30mm M3		

¹with coded connector

timers

programme timers

			
1			
GEV No.	360524	Ref. No.	OKL019
description	timer CDC 11904 engines 1 chambers 4 operation time 12min 230V shaft ømm shaft Lmm manuf. no. 11904F1 / BDR000.0000 motor type M48R ATS		
spare parts for	360524		
	GEV No.	360118	Ref. No.
	—		
	motor CDC pinion ø 4.9mm teeth 10 230V voltage AC 50/60Hz turn direction right motor ø 47mm H 19.3mm motor type M48R ATS for timer cable length 260mm 1.9/2.5W		

contactors

LOVATO

power contactors

A black and grey industrial power contactor with a grey terminal block on top and a black base. It has two labels: one on the left side and one on the front. The front label includes technical specifications and a barcode.

1

GEV No.	380888	Ref. No.	N/A
description	power contactor resistive load 20A 230VAC (AC3/400V) 12A/5.7kW main contacts 3NO auxiliary contacts 1NC connection screw connection type 11BG1201A230		

A black and grey industrial power contactor, similar in design to the first one, with a grey terminal block on top and a black base. It has two labels: one on the left side and one on the front. The front label includes technical specifications and a barcode.

1

GEV No.	380964	Ref. No.	N/A
description	power contactor resistive load 20A 230VAC (AC3/400V) 9A/4kW main contacts 4NO auxiliary contacts connection screw connection type 11BG09T4A230		

relays

power relays

with bracket mounting

1

GEV No.	380312	Ref. No.	056446 056466 085296 086214 0D0013
description	power relays FINDER 230VAC 10A 3CO connection male faston 4.8mm bracket mounting dimensions 52x32.2x36.5mm manuf. no. 60.63.8.230.0000		
For models:	MCP/G700, 7CPE07P, 7CPG07P, M70EPC, M70GPC, RCP/G700, HBR/G801, HBR/G806, HBR/G811, HBR/G816, HBR/G801D, HBR/G806D, HBR/G811D, HBR/G816D, HBR/E801, HBR/E806, HBR/E811, HBR/E816, ZBR/G801, ZBR/G806, ZBR/G811, ZBR/G816, ZBR/G801D, ZBR/G806D, ZBR/G811D, ZBR/G816D, ZR/G413, BR/E806, ZBR/E811, ZBR/E816, ABR/G801, ABR/G806, ABR/G811, ABR/G816, ABR/G801D, ABR/G806D, ABR/G811D, ABR/G816D, ABR/E801, ABR/E806, ABR/E811, ABR/E816, FCZ061EAA, FCZ101EAA, FCZ102EAA, FCZ061EAH, FCZ101EAH, FCZ061EAN, FCZ101EAN, FCZ061ETA...(Other models you can see in the webshop)		

1

GEV No.	380185	Ref. No.	085647
description	power relays Italiana Relè 230VAC 30A 1NO connection F6.3 bracket mounting dimensions 36.5x32.2x51.8mm manuf. no. A10-230AC-FA		
For models:	DLV14/F, DLVT14/F, DLV21/F, DLVT21/F, ZDLV14/F, ZDLVT14/F, DLV21/F, DLVT21/F, ADLV14/F, ADLVT14/F, DLV21/F, DLVT21/F, SMV15/F, SMV21/F, SMV15/F, SMV21/F		

probes

producer-specific probes

			
1			
GEV No.	402006	Ref. No.	086369 47400343
description	temperature probe PTC 2kOhm cable PVC probe -50 up to +150°C cable -10 up to 100°C connection plug thread probe ø5x60mm cable length 1.5m		
For models:	CIM15A, CIM15W, CIM30A, CIM30W, CIM45A, CIM45W, CIM65A, CIM65W		



GEV No.	402008	Ref. No.	086341
description	temperature probe PTC 2kOhm cable PVC probe -50 up to +150°C cable -10 up to +100°C connection plug thread probe ø6x50mm cable length 1.2m		
For models:	CIM120AS, CIM120WS		



GEV No.	402191	Ref. No.	086340 0H9322 0KM745 30003179
description	temperature probe PTC 2kOhm cable TPE probe -50 up to +150°C cable -40 up to +110°C connection plug thread probe ø5x20mm cable length 1.8m		
For models:	CIM120AS, CIM120WS		



GEV No.	402005	Ref. No.	086339 086344 0H9327 0K8396 0KD786 47400342
description	temperature probe PTC 2kOhm cable TPE probe -50 up to +150°C cable -40 up to +110°C connection plug thread probe ø6x50mm cable length 1.6m		
For models:	CIM15A, CIM15W, CIM30A, CIM30W, CIM45A, CIM45W, CIM65A, CIM65W, CIM120AS, CIM120WS		

sensors



GEV No.	401611	Ref. No.	099774
description	sensor ø 18mm L 44mm thread M10x1 cable length 1450mm		
accessories for	401611		
	GEV No.	521129	Ref. No. —
nut thread M10 H 6mm SS WS 17 Qty 1 pcs DIN/ISO DIN 439			

accessories

miscellaneous



GEV No.	402040	Ref. No.	086347
description	cable for level electrode cable length 1800mm		

electronics

PCBs



GEV No.	402137	Ref. No.	086520
description	PCB for float switch		



GEV No.	402003	Ref. No.	086368 0H9321 47400337 47400344
description	PCB ice maker AC045/055		
For models:	CIM15A, CIM15W, CIM30A, CIM30W, CIM45A, CIM45W, CIM65A, CIM65W		



GEV No.	401799	Ref. No.	086586
description	PCB ice maker N201/N301//N501 230V		
accessories for	401799		
	GEV No.	701450	Ref. No. —
connection cable L 1300mm 2-pole level sensor suitable for ice maker connection plug plug type coded plug			

solenoid valves

solenoid valves (water)

ELBI

straight



1

GEV No.	373017	Ref. No.	003608 046655 047370 053827 055132 055529 056486 057577 086014 086500 0H9339 0K8513 0KD793
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm DN10 ELBI		
For models:	CIM15A, CIM15W, CIM45A, CIM45W, CIM65A, CIM65W, VO40G, FDV40G, FDV40E, FDV40GZ, FDV40EL, FDV40GA, FDV20G, FDV20E, FDV20GZ, FDV20EL, FDV20GA, RPI/E240, RPI/E260, RPI/G260P, RPI/E260P, XPI/E240, XPI/E260, XPI/G260P, XPI/E260P, JPI/E240, JPI/E260, MPI/E240, MPI/E260, MPI/G260P, MPI/E260P, PPD/G260, PPI/G260P, PPI/E260P, OPD/G260, OPI/G260P, OPI/E260P, TPD/G260, TPI/G260P, TPI/E260P, KPI/G10, KPI/G15, KPI/E10, KPI/E15, KPD/G10, KPD/G15, KPD/G15A, KPI/G15A, KPI/E15A, KPI/G06...(Other models you can see in the webshop)		



1

GEV No.	373001	Ref. No.	086648 0T4545
description	solenoid valve single straight 230VAC inlet 3/4" outlet 11.5mm input/min output 2l/min 50/60Hz DN10 t.max. 90°C duty cycle 100% ELBI plastic		



1

GEV No.	370433	Ref. No.	084490
description	solenoid valve double straight 230VAC inlet 3/4" outlet 11.5mm input/min output 2/2.5l/min DN10 t.max. 90°C ELBI plastic output A 2l/min output B 2.5l/min flow regulating valve outlet A white flow regulating valve outlet B orange		
For models:	CIM30W		

RPE

special outlet



1

GEV No.	370453	Ref. No.	0H9328
description	solenoid valve single angled 230VAC inlet 11.5mm outlet 11.5mm RPE		

TP

solenoid valves with reducers



1

GEV No.	370437	Ref. No.	085328 099773
description	solenoid valve double angled 230VAC inlet 3/4" input 10l/min output 1.2/1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve inlet white outlet 11.5mm output A 1.2l/min output B 1.2l/min flow regulating valve outlet A dark brown flow regulating valve outlet B dark brown		
For models:	IMF28A, IMF28W, FGC46AS42, CIM50AB, FIM50WB, CIM50AB, FIM50WB, CB425A, CIM50AB, FIM50WB, IF29W, IF55W, IF75W, IF30W, IF29A, IF30A, IF55A, IF75A		



1

GEV No.	370436	Ref. No.	085274
description	solenoid valve double angled 230VAC inlet 3/4" input/min output 0.6/0.6l/min DN10 t.max. 90°C TP plastic outlet 11.5mm output A 0.6l/min output B 0.6l/min flow regulating valve outlet A orange flow regulating valve outlet B orange		
For models:	FGC24AB, FGC24WB, FGC24ABS, FGC24WBAB, CB184A, FGC24AB, FGC24WB, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, DSS42A		



1

GEV No.	370395	Ref. No.	085310
description	solenoid valve double angled 230VAC inlet 3/4" input/min output 0.8/0.8l/min DN10 t.max. 90°C TP plastic outlet 11.5mm output A 0.8l/min output B 0.8l/min flow regulating valve outlet A white flow regulating valve outlet B white		
For models:	CPX-01, CPX-04, CPX-06, CPX-04, CPX-05, CPX-07		



2

GEV No.	370434	Ref. No.	085339
description	solenoid valve double angled 230VAC inlet 3/4" input/min output 2.5/2.5l/min DN10 t.max. 90°C TP plastic outlet 11.5mm output A 2.5l/min output B 2.5l/min flow regulating valve outlet A yellow flow regulating valve outlet B yellow		
For models:	FGC143AB, FGC143WB, FGC143AB, FGC143WB, FGC143AB, FGC143WB, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, DSS42A		



1

GEV No.	370426	Ref. No.	085273
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input/min output 0.6l/min DN10 t.max. 90°C TP plastic flow regulating valve outlet orange		
For models:	FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGCF25A, CB246W, FGC24ABS, FGC24WBAB, FGC29AB, FGC29WB, CB184A, CB249A, FGC24AB, FGC24WB, FGC29AB, FGC29WB, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, DSS42A		



1

GEV No.	370399	Ref. No.	085309
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input/min output 0.8l/min DN10 t.max. 90°C TP plastic		



1

GEV No.	370427	Ref. No.	055350 085327 0KK221 23001
description	solenoid valve single angled 230VAC inlet 3/4" outlet 11.5mm input/min output 1.2l/min DN10 t.max. 90°C TP plastic flow regulating valve outlet dark brown		
For models:	MBR/G710D, MBR/E710D, MBR/E700, MBR/E700UK, MBR/E716, MBR/E706, RBR/G710D, 7BRE60XN, 7BRE60X, RBR/E700UK, RBR/E716, RBR/E706, XBR/E710D, M70EBP, XBR/E710, XBR/G751, XBR/G756, CBR/E700, XBR/E716, XBR/E706, FCVE6-1U, FCVE6-3U, FCVE6-1, FCVE6-3, FCVE6-1UK, FCVE6-3UK, FCVE10-2, FCVE10-4, FCVE10-2UK, FCVE10-4UK, FCVE20-2, FCVE20-4, FCVE20-2UK, FCVE20-4UK, FCV/E6-1, FCV/E6-1, ZOFCV/E102, ZOFCV/E104, ZOFCV/E202, ZOFCV/E204		

metal

PARKER

spare parts and accessories

solenoid coils



1

GEV No.	371098	Ref. No.	086050 086051 086177 086534 0H9317 0KD791 30003387 30003527 62030
description	solenoid coil 220-230VAC 50/60Hz seat ø 14mm cable length 1000mm 14W		
For models:	CIM15A, CIM15W, CIM30A, CIM30W, CIM45A, CIM45W, CIM65A, CIM65W, CIM120AS, CIM120WS		

solenoid valves (refrigeration)

CASTEL

valve bodies

STANDARD series

suitable for refrigerants R22, R134a, R404A, R407C, R410A, R507

			
1			
GEV No.	370151	Ref. No.	087965
description	solenoid valve body NC type 1028/2 S p max 45bar connection 1/4" soldering connection DN 2.2mm -35 up to +105°C L 125mm refrigeration straight CASTEL		
For models:	IMF28A, IMF28W, IMF35A, IMF35W, IMF58A, IMF58W, IMF80A, IMF80W, FGC33AS42, FGC46AS42, FGC65A42, FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM50WB, FGC24ABS, FGC24WBAB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, CB184A, CB249A, CB316A, CB425A, CB840A, FGC24AB, FGC24WB, FGC29AB, FGC67AB, FGC67WB, CIM38AB, CIM38WB...(Other models you can see in the webshop)		
accessories for	370151		
	GEV No.	371084	Ref. No. —
	solenoid coil CASTEL 230VAC 8VA 50/60Hz connection cable 1000mm type CM2		
	GEV No.	371090	Ref. No. —
	power socket plug type DIN 43650A screw		
	GEV No.	371301	Ref. No. —
	solenoid coil CASTEL 110VAC 8VA 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2		
	GEV No.	371314	Ref. No. —
	solenoid coil CASTEL 240VAC 8VA 50/60Hz seat ø 11.5mm		
	GEV No.	371321	Ref. No. —
	solenoid coil CASTEL 12/24VAC 50/60Hz seat ø 11.5mm connection DIN 43650A type HF2		

various

valve bodies

			
1			
GEV No.	370454	Ref. No.	086533
description	solenoid valve body DN 3mm connection 6mm soldering connection refrigeration angled 90°		
accessories for	370454		
	GEV No.	371033	Ref. No. —
	solenoid coil PARKER 230VAC 9VA coil type YB09 with cable seat ø 14mm		

pressure switches

for refrigeration

SAGI NO MIYA

			
1			
GEV No.	541480	Ref. No.	087803
description	pressure control HD reset manual p max 33bar refrigeration type FTB-3UC37 connection male faston 6.3mm switch-off pressure 30bar -20 to +70°C		
For models:	MF250WB20, MC140AB20, MC140WB20, MC200AB20, MC200WB20, FGS500A, FGS500W, CIM235AB, CIM235WB, FIM285ASB, FIM285WSB, VM500W+BI, VM500A+BI, VM250A+BI, VM250W+BI, VM350A+BI, VM350W+BI, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, DSS42A, G500A, MUSTER350A, MUSTER800A, GB1555W, GB1555A, G500W, VB250A, VB250W, VM900A, VM900W		

			
1			
GEV No.	541479	Ref. No.	OKK218
description	pressure control HD reset automatic refrigeration type HTB-X114 connection 2.4mm		
For models:	IMF28A, IMF28W, IMF35A, IMF35W, IMF58A, IMF58W, IMF80A, IMF80W, FGC33AS42, FGC46AS42, FGC65A42, MF250WB20, MC140AB20, MC140WB20, MC200AB20, MC200WB20, FGS500A, FGS500W, FGC24AB, FGC24WB, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC143AB, FGC143WB, FGS94AB, FGS94WB, FGS140A, FGC25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM235AB, CIM235WB, FIM150ASB, FIM150WSB, FIM285ASB, FIM285WSB, CIM50AB, FIM50WB, FGC24ABS, FGC24WBAB, FGC29AB...(Other models you can see in the webshop)		



compressors

ACC/ZEL

R134A

HMBP monophase

High/Medium evaporation temperature above -20/-15 °C



1

GEV No.	605009	Ref. No.	083718 086461 67010000 709796
description	compressor coolant R134a type GL90TB 220-240V 50Hz HMBP fully hermetic 10.8kg 1/4HP power input 293W cylinder capacity 8.8cm ³ CSIR H 175.5mmW 143W 194W 259W 339W 432W 539W 661W 796W test method ASHRAE		
For models:	ICP111, ICP130, ICP112, ICN110UK, ALP110, ALP120, ALN110, ALN120, ALNN120, ALNN220, ALNN230, ALP110UK, ALN110UK, ALNN220UK, ALNF120, ADF110ES, ALN110, ALN120, ADN111, AEN110, AEN120, AKN111, ADNN220, ADNF220, ADNN230, AENN220, AENN230, ASN110, ASN111, AKN110UK, ASN110UK, APP223, APP224, BC7, ARDN110, ADN110E, ADF110E, APP224/60, AZP2203, 83012001, 83012033, BC7, ASN110, ADN110, ADN120, ADN111, ADNN220, ADNF220, ADNN230, ADN11060...(Other models you can see in the webshop)		



1

GEV No.	605011	Ref. No.	083728
description	compressor coolant R134a type GP14TB 220-240V 50Hz HMBP fully hermetic 11.5kg 3/8HP power input 566W cylinder capacity 14cm ³ CSIR H 203.6mm 191W 271W 373W 497W 643W 810W 999W 1209W test method ASHRAE ambient temperature max. 43°C		
For models:	ALP220, ALP240, ALN220, ALN240, ALNN230, ALNF230, BC11, BC11, BC15A, Crosswise, AKP230, AKP220, AKP240, AKN230, AKN220, AKN240, AKNN230, AKP220UK, AKN220UK, ASP220, ASN220, ASP220UK, ASN220UK, UCN2, ESR141212F, ESR142F, ESR14412F, ESQF41FR, EUKR142N, EUKR142F, EUKR141212, EUKR14412F, ESBC10, IKNNP230, ESQF41FR, RI016RE1F, RI16R1F, RI16R2FT, RI16R2FGT, Crosswise, RBC061, ESR142F, ESR141212F, ESR1441/2F, EUKR142N, EUKR142F, EUKR141212, EUKR14412F, RI16R1G, EKE1402...(Other models you can see in the webshop)		

accessories

starting relays

miscellaneous



1

GEV No.	380581	Ref. No.	N/A
description	start relay 230V 1NO/1NC connection male faston 6.3mm with strap dimensions 45x50x42mm		

fans

refrigeration fans

refrigeration motors universal

ELCO

N series - multi fit



1

GEV No.	601427	Ref. No.	086207 0S0561
description	fan motor ELCO 10W 230V 50/60Hz bearing slide bearing L1 49mm L2 59mm L3 86.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT10-20/028		
spare parts for	601427		
	GEV No.	560140	Ref. No. —
hexagonal nut thread M4 H 4.8mm SS WS 7 Qty 20 pcs DIN/ISO DIN 985 self-locking			
	GEV No.	560332	Ref. No. —
plain washer ID ø 4.3mm ED ø 9mm thickness 0.8mm SS Qty 1 pcs			
	GEV No.	560340	Ref. No. —
hexagonal nut thread M4 H 3.2mm WS 7 SS DIN/ISO DIN 934 / ISO 4032/8673 Qty 1 pcs			
	GEV No.	601413	Ref. No. —
fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm			

			
1			
GEV No.	601528	Ref. No.	0S0562
description	fan motor ELCO 16W 230V 50/60Hz bearing slide bearing L1 48mm L2 64mm L3 91.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT16-25/029		
spare parts for	601528		
	GEV No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

			
1			
GEV No.	602057	Ref. No.	0S1119
description	fan motor ELCO 18W 230V 50/60Hz bearing slide bearing connection cable 500mm 1300/1550rpm 5 mounting options VNT18-30/312		
spare parts for	602057		
	GEV No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

			
1			
GEV No.	601529	Ref. No.	082647 086310 0S0563
description	fan motor ELCO 25W 230V 50/60Hz bearing slide bearing L1 53mm L2 84mm L3 111.5mm W 83mm connection cable 500mm 1300/1550rpm 5 mounting options VNT25-40/030		
For models:	DLV21/F, DLV21/F, DLVT21/F, DLVT21/F, DLV21/F, DLVT21/F, DLV21/F, DLVT21/F, ZDLV21/F, ZDLVT21/F, ADLV21/F, ADLVT21/F, SMV21/F, SMIT, SMV21/F, SMIT, SMV21/F, CIM120AS, RI, TRNE02V, MMRE21A		
spare parts for	601529		
	GEV No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

BT series - capacitor motors

			
1			
GEV No.	601420 ¹	Ref. No.	087799 088013
description	fan motor 45W 230V 50Hz L1 53mm L2 18mm L3 120mm W 103mm cable length 500mm 1300rpm ELCO 3FBT 50-40/15 3 mounting options bearing slide bearing		
For models:	BC28A6, Crosswise, BC28A, Crosswise, SSODWC12, SSODDPC12, SSODWC16, SSODDPC16, SSODWB12, SSODDPB12, SSODWB16, SSODDPD16, SSWC12, SSWC16, SSWC20, SSWB12, SSWB16, SSWB20, SSDPC12, SSDPC16, SSDPC16, SSDPD12, SSDPD16, SSDPD20, SSODWCS12, SSODWCS16, DVRVAF12, DVRPAF12, DVRVAF16, DVRPAF16, DVRVP12, DVRPP12, DVRVP16, DVRPP16, DRVAF12, DRVAF16, DRVAF20, DRVP12, DRVP16, DRVP20, DRPAF12, DRPAF16, DRPAF20, DRPP12, DRPP16, DRPP20, ZLRW12C, ZLRW16C, ZLRW20C, ZLRW12B...(Other models you can see in the webshop)		

¹incl. capacitor

miscellaneous

			
1			
GEV No.	601524	Ref. No.	OKM742
description	fan motor 35W 230V 50/60Hz L3 153mm W 83mm cable length 1600mm 1300rpm with capacitor capacitor 2.5µF		

motors

gear motors

for ice-cube maker

for paddles

			
1			
GEV No.	500407	Ref. No.	0T3960
description	gear motor LIP type 123MR 8W 220/240V voltage AC 50/60Hz 50rpm turn direction counterclockwise shaft ø 4mm shaft intake ø 6.2mm groove width 2.3mm shaft L 8mm shaft ø 4mm W 74mm		



pumps

pumps for ice machines



1			
GEV No.	500590	Ref. No.	089699 23377
description	pump FIR type 4240.2300 120W 230V 50/60Hz inlet ø 22mm outlet ø 22mm L 240mm rotation direction right for ice-cube maker capacitor 5µF		
For models:	FGC33AS42, FGC46AS42, FGC65A42, FGC29AB, FGC29WB, FGC40A, FGC40W, FGC67AB, FGC67WB, FGC90A, FGC90W, FGC25A, CB246W, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM50WB, FGC29AB, FGC29WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, CB249A, CB316A, CB425A, CB840A, FGC29AB, , FGC67AB, FGC67WB, CIM38AB, CIM38WB, CIM85AB, CIM15WB, CIM50AB, FIM50WB, FGC29WB		
spare parts for	500590		
	GEV No.	601412	Ref. No. 085287
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	GEV No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		



1			
GEV No.	500660	Ref. No.	090173
description	pump FIR type 4240A.2300 120W 230V 50/60Hz inlet ø 22mm outlet ø 22mm L 230mm rotation direction right for ice-cube maker capacitor 5µF		



1			
GEV No.	500200	Ref. No.	OKM595 0U1035
description	pump GRE 100W 230V 50Hz inlet ø 24mm outlet ø 23mm L 145mm rotation direction right		
For models:	LB040AUS, G350, G350DP, G400, G400DP		



1			
GEV No.	500752	Ref. No.	086456
description	pump GRE 60W 230V 60Hz inlet ø 16mm outlet ø 21mm L 110mm rotation direction right for ice maker		



1			
GEV No.	500045	Ref. No.	OKM744
description	pump GRE type 100W 230V 50Hz inlet ø 24mm outlet ø 21mm L 150mm rotation direction left for ice-cube maker total length 230mm		
spare parts for	500045		
	GEV No.	532082	Ref. No. —
	O-ring EPDM thickness 2.62mm ID ø 61.6mm Qty 10 pcs		
accessories for	500045		
	GEV No.	695417	Ref. No. —
	insulation for pump		



1			
GEV No.	500165	Ref. No.	085322 23002
description	pump REBO type 63/35 120W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 180mm rotation direction right for ice-cube maker capacitor 5µF		
spare parts for	500165		
	GEV No.	365017	Ref. No. 037268 083406 OK9108 OL2035
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	GEV No.	601412	Ref. No. 085287
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	GEV No.	601413	Ref. No. —
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

			
1			
GEV No.	500166	Ref. No.	085340
description	pump REBO type 63/45 150W 230V 50/60Hz inlet ø 28mm outlet ø 26mm L 200mm rotation direction right capacitor 5µF		
For models:	C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, DSS42A		
spare parts for	500166		
	GEV No.	365017	Ref. No.
			037268 083406 0K9108 0L2035
	operating capacitor capacity 5µF 450V tolerance 5% 50/60Hz ambient temperature max. -25 to +85°C ø 28mm L 54mm M8 plastic connection male faston 6.3mm 16.10.08 protection		
	GEV No.	601412	Ref. No.
			085287
	fan wheel sucking ø 154mm fan wheel mounting 25.4mm blade angle 28° W 34mm plastic		
	GEV No.	601413	Ref. No.
			—
	fixing plate suitable for fanwheel ED ø 32mm shaft ø 7 mounting distance 26mm		

			
1			
GEV No.	500203	Ref. No.	086166 0886166 0KM739
description	pump REBO type MH50F 60W 230V 50Hz outlet ø 21mm L 110mm rotation direction right for ice maker		
For models:	CIM120AS, CIM120WS		

			
1			
GEV No.	500161	Ref. No.	0KK204
description	pump REBO type NR40 55W 230V 50Hz outlet ø 17mm L 110mm rotation direction left for ice-cube maker		
For models:	FGC24AB, FGC24WB, FGC24ABS, FGC24WBAB, CB184A, FGC24AB, FGC24WB, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, FRESHMAKER, ICEWATER45, ICEWATER4S, DSS42A		
spare parts for	500161		
	GEV No.	500970	Ref. No.
			087810 23073
	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker		

			
1			
GEV No.	500593	Ref. No.	089772
description	pump REBO type NR40 55W 230V 50Hz outlet ø 17mm L 110mm rotation direction left for ice-cube maker		
For models:	MC200AB20, MC200WB20, CIM235AB, CIM235WB, VM500W+BI, VM500A+BI, VM350A+BI, VM350W+BI		

			
1			
GEV No.	500970	Ref. No.	087810 23073
description	pump motor 55W 230V 50Hz REBO L 205mm type outlet ømm suitable for for ice maker		
For models:	MC140AB20, MC140WB20, MC200AB20, MC200WB20, FGC24AB, FGC24WB, CIM235AB, CIM235WB, FGC24ABS, FGC24WBAB, CB184A, FGC24AB, FGC24WB, VM500W+BI, VM500A+BI, VM350A+BI, VM350W+BI, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, FRESHMAKER, ICEWATER45, ICEWATER4S, DSS42A, MUSTER350A, MUSTER800A, VB250A, VB250W, VM900A, VM900W		

condensators & interference suppression filters

starting capacitors

starting capacitors

			
1			
GEV No.	365096	Ref. No.	086174 0KQ662
description	starting capacitor 88µF 330V		
For models:	ECN075, ECN100, MCGR1000, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF220, ADF220ES, ALF110UK, ILF220, ILF220UK, ILF240, ALF110, ALF120, ALF220, ALF240, ALNF220, ALNF230, BCF11, ADF110, ALF110, ADF120, ALF120, AEF110, AEF120, ADF220, ADF240, AEF220, AEF240, ADNF220, ADNF230, AENF220, AENF230, ASF110, ASF220, AKF110UK, AKF220UK, ASF110UK, ASF220UK, ADF220E, AZF1103, BCF15A, Crosswise, 83012201, ARD-F110L, ARDF120...(Other models you can see in the webshop)		



equipment-specific units

for ice-cube maker

drain systems

filters



1

GEV No.	695769	Ref. No.	086023
description	drain filter thread 7/8" ø 32mm H 10mm		
For models:	CIM120AS, CIM120WS		

overflow pipes



1

GEV No.	695047	Ref. No.	086019
description	overflow pipe L 78mm straight		
For models:	CIM45A, CIM45W		

doors

bushes



1

GEV No.	695782	Ref. No.	086006
description	bush for door ED ø 12.5mm ID ø 8.2mm L 10.8mm plastic		
For models:	CIM120AS, CIM120WS		

doors



1

GEV No.	695743	Ref. No.	086565 0KM663 78135200
description	door for ice maker W 1080mm H 275mm thickness 16mm		



1

GEV No.	695514	Ref. No.	099208
description	door for ice-cube maker W 447mm H 217mm thickness 22mm		
For models:	IMF35A, IMF35W, IMF58A, IMF58W, FGC33AS42, FGC46AS42, FGC40A, FGC40W, FGS94AB, FGS94WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, CB316A, CB425A, CIM38AB, CIM38WB, CIM50AB, FIM50WB		



1

GEV No.	695457	Ref. No.	0KM641
description	door for ice-cube maker W 505mm H 270mm thickness 21mm		



1

GEV No.	696473	Ref. No.	0KM643
description	door W 600mm H 260mm thickness 17mm		

curtains

with holder



1

GEV No.	695506	Ref. No.	085320
description	curtain for ice maker W 328mm H 150mm with holder shaft length 325mm shaft ø 7.5mm		
For models:	FGC29AB, FGC29WB, FGCF25A, CB246W, FGC29AB, FGC29WB, CB249A, FGC29AB, , FGC29WB, C15OW, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, DSS42A		



1

GEV No.	695507	Ref. No.	085325 0KK207
description	curtain for ice maker W 433mm H 165mm with holder shaft length 438mm shaft ø 7.5mm		
For models:	FGC33AS42, FGC46AS42, FGC40A, FGC40W, CIM38AB, CIM38WB, CIM50AB, FIM50WB, CIM38AB, CIM38WB, CIM50AB, FIM50WB, CB316A, CB425A, CIM38AB, CIM38WB, CIM50AB, FIM50WB, C15OW, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, FRESHMAKER, ICEWATER45, ICEWATER45, DSS42A		

accessories

holders



1

GEV No.	695080	Ref. No.	086121
description	curtain holder for ice maker W 15mm H 80mm left		
For models:	CIM15A, CIM15W, CIM30A, CIM30W, CIM45A, CIM45W, CIM65A, CIM65W		



1

GEV No.	695079	Ref. No.	086122
description	curtain holder for ice maker W 15mm H 80mm right		
For models:	CIM15A, CIM15W, CIM30A, CIM30W, CIM45A, CIM45W, CIM65A, CIM65W		

gaskets

shaft gaskets



1

GEV No.	695589	Ref. No.	086281
description	shaft sealing ED ø 48mm ID ø 25mm H 22mm suitable for augers		

housing and bezels

housings



1

GEV No.	694326	Ref. No.	086566
description	frame for ice maker L 1080mm W 380mm H 71mm anthracite		

hoses

formed hoses

form L



1

GEV No.	695091	Ref. No.	0U3302
description	formed hose L-shape for ice-cube maker ID ø 24mm ED ø 27mm L 130mm W 105mm		

hose connectors

with thread



1

GEV No.	695045	Ref. No.	086013
description	hose connector 3-way ID ø 15mm ED ø 21mm L 91mm		
For models:	CIM30A, CIM30W, CIM45A, CIM45W, CIM65A, CIM65W, CIM120AS, CIM120WS		

floats

float containers



1

GEV No.	696755	Ref. No.	085600
description	float container for ice maker with microswitch plastic suitable for GB902		
spare parts for	696755		
GEV No.	345105	Ref. No.	0KI505
description	microswitch with plunger 250V 16A 1CO connection male faston 6.3mm L 28mm ambient temperature max. 125°C mounting distance 22mm type SM-51 actuating force: 280g black		

miscellaneous



1

GEV No.	695630	Ref. No.	086445 0KM780
description	coupling set ø 37mm		



1

GEV No.	695046	Ref. No.	086199
description	nut H 5mm thread M24x1.5 plastic		
For models:	CIM15A, CIM15W, CIM30A, CIM30W, CIM45A, CIM45W, CIM65A, CIM65W, CIM120AS, CIM120WS		

valves

intake valves



1

GEV No.	695539	Ref. No.	087813
description	intake valve with float		
For models:	CIM235AB, CIM235WB, VM500W+BI, VM500A+BI, MUSTER350A, MUSTER800A, VB250A, VB250W, VM900A, VM900W		

locks

locking devices

producer-specific

ELECTROLUX



1

GEV No.	690637	Ref. No.	081694 OKM805
description	key cylinder with slide latch ø 23mm thread M19x1 mounting measurements 16.5x19mm hub 38-45mm shaft ø 11mm thread L 24mm		
For models:	ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALF110, ALF220UK, ALNF220, ALF110, ALF120, ALF220, ALF240, ALNF120, ALNF220, ALNF230, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILNSO120, ILN221, ILNN120, ILNN220, ILNN220UK, ILNN230... (Other models you can see in the webshop)		

filters

air filters



1

GEV No.	694183	Ref. No.	086562
description	air filter L 500mm W 500mm H 20mm		

refrigeration cycle components

valves

Schrader valves

valve inserts



1

GEV No.	750098	Ref. No.	085290
description	Schrader valve CASTEL 8394/B R22		
For models:	IMF58A, IMF58W, IMF80A, IMF80W, FGS500A, FGS500W, FGC40A, FGC40W, FGC90A, FGC90W, FGC143AB, FGC143WB, FGS94AB, FGS94WB, FGS140A, FGC25A, CB246W, CIM235AB, CIM235WB, FIM150ASB, FIM150WSB, FIM285ASB, FIM285WSB, FGC143AB, FGC143WB, FGC143AB, FGC143WB, VM500W+BI, VM500A+BI, VM250A+BI, VM250W+BI, VM350A+BI, VM350W+BI, C150W, C300A, C300W, CB1565W, CB246W, CB416W, CB955W, DSS42W, C80W, CB1565A, C80A, CB246A, CB416A, C150A, CB955A, FRESHMAKER, ICEWATER45...(Other models you can see in the webshop)		

filter driers

miscellaneous



1

GEV No.	750314	Ref. No.	081716
description	dryer ø 17.4mm L 123mm connection 5.3/8mm		
For models:	ICF110, ITP120UK, ITP120UK, ILP110, ILP110UK, ILN120, ILP111, ILP220, ILP220UK, ILP240, ILP221, ILN110, ILN110UK, ILN120, ILN111, ILN220, ILN220UK, ILN240, ILNSO120, ILN221, ILNN120, ILNN220, ILNN220UK, ILNN230, ALP110UK, ALN110UK, ALNN220UK, ALNF220UK, ILNF120, ILNF220, ILNF220UK, ILNF230, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNF120, ALNN220, ALNF220, ALNN230, ALNF230...(Other models you can see in the webshop)		



1

GEV No.	750276	Ref. No.	0A9410
description	dryer size 30g ø 24mm L 147mm connection 6,5/6,5mm		
For models:	AQC22U US, , , FV Dual, BC10A, BLAST C/FREEZER, BCF7A, BLAST C/FREEZER, SSODWC12, SSODDPC12, SSODWC16, SSODDPC16, SSODWB12, SSODDPB12, SSODWB16, SSODDPD16, SSWB12, SSWB16, SSWB20, SSDPC12, SSDPC16, SSDPC16, SSDPD12, SSDPD16, SSDPD20, DVRVAF12, DVRPAF12, DVRVAF16, DVRPAF16, DVRVP12, DVRPP12, DVRVP16, DVRPP16, DRVP12, DRVP16, DRVP20, DRPAF12, DRPAF16, DRPAF20, DRPP12, DRPP16, DRPP20, ZLRW12B, ZLRW16B, ZLRW20B, ZLRP12C, ZLRP16C, ZLRP20C, ZLRP12B, ZLRP16B...(Other models you can see in the webshop)		



1 			
GEV No.	750231	Ref. No.	084078
description	dryer size 40g ø 24mm L 164mm connection 3,2/6,2mm		
For models:	ADN220ES, ADF110ES, ADF220ES, ADN110ESP, ADF110ESP, FV 1M, FV 1M, FV 1M, FV 2M, FV 2M, FV 2M, FV 2M, FV 2M, FV 2M, FV 2M, FV 2M, FV 2M, FV 1M, FV 1M, ALN110, ALN120, ADN111, AEN110, AEN120, AKN111, ADF110, ALF110, ADF120, ALF120, AEF110, AEF120, ADNN120, ADN120, AENN120, AENF120, ADN221, ADNN220, ADN220, ADNN230, ADN230, AENN220, AENF220, AENN230, AENF230, ASN110, ASN111, ASF110, SM250, AKN110UK, AKF110UK, ASN110UK...(Other models you can see in the webshop)		

1 			
GEV No.	750313	Ref. No.	083854
description	dryer ø 24mm L 143mm connection 5/7.6mm		
For models:	ICP110, ICP111, ICP130, ICP112, ITP120UK, ICF110, ICN110UK, ICF110, ITP120UK, ALP110, ALP120, ALP111, ALP220, ALP240, ALP221, ALN110, ALN120, ALN111, ALN220, ALN240, ALN221, ALNN120, ALNN220, ALNN230, ALNSO120, ALP110UK, ALN110UK, ALNN220UK, ALNF120, ALNF230, ADF110ES, ALN220, ALN240, AEN220, AEN240, AEN221, ADF220, ADF240, AEF220, AEF240, ASN220, ASN221, ASF220, AKN220UK, AKF220UK, ASN220UK, ASF220UK, ADN110E, ADF110E, APP114/60...(Other models you can see in the webshop)		

evaporation and condensing trays

unheated condensing trays

1 			
GEV No.	750316	Ref. No.	089615
description	condensing tray L 160mm W 80mm H 85mm		
For models:	FGS500A, FGS500W, G500A, GB1555W, GB1555A, G500W		

transmission technology and ball bearings

ball bearings

ball bearings inch

1 			
GEV No.	523001	Ref. No.	086282
description	ball bearing type SR14-2RS shaft ø 7/8"mm ED ø 1 7/8"mm W 3/8"mm		

miscellaneous

1 			
GEV No.	523015	Ref. No.	091397 20686
description	ball bearing type 500-4252 shaft ø 19mm ED ø 40mm W 30mm stainless steel		
For models:	FGS94AB, FGS94WB, FGS140A, FIM150ASB, FIM150WSB		

springs

tension springs

1 			
GEV No.	695435	Ref. No.	085300
description	tension spring ø 9.2mm total length 24mm wire gauge ø 1.6mm		
For models:	IF29W, IF55W, IF75W, IF30W, IF29A, IF30A, IF55A, IF75A		

B

bi-metal thermostats	2
----------------------	---

C

compressors	10
-------------	----

condensators & interference suppression filters	13
---	----

contactors	5
------------	---

F

fans	10
------	----

filter driers	16
---------------	----

M

magnetic switches	4
-------------------	---

microswitches	4
---------------	---

motors	11
--------	----

P

pressure switches	9
-------------------	---

probes	5
--------	---

programme timers	5
------------------	---

pumps	12
-------	----

pumps for ice machines	12
------------------------	----

push/momentary push switches	3
------------------------------	---

R

refrigeration cycle components	16
--------------------------------	----

refrigeration fans	10
--------------------	----

refrigeration motors universal	10
--------------------------------	----

refrigeration thermostats	2
---------------------------	---

relays	5
--------	---

rocker/momentary rocker switches	3
----------------------------------	---

S

safety bi-metal thermostats	2
-----------------------------	---

Schrader valves	16
-----------------	----

solenoid valves	7
-----------------	---

starting capacitors	13
---------------------	----

switches and momentary switches	3
---------------------------------	---

T

thermostats	2
-------------	---

timers	5
--------	---

touch sensitive light switches	4
--------------------------------	---